



**You can make gardening and yardwork a breeze**

**MOWERS & RIDE-ONS**

**TRIMMERS**

**CHAINSAWS**

**BLOWERS**

**SPRAYERS**

**BRUSHCUTTERS**

**TILLERS**

**EDGERS**

**VACUUMS**

**LOG SPLITTERS**

**CHIPPERS/SHREDDERS**

Proudly distributed by



**2** YEAR WARRANTY  
ON HANDHELD PRODUCTS



AVAILABLE ONLY  
FROM SPECIALIST  
DEALERS



FULL RANGE  
OF SPARE PARTS  
AVAILABLE

# MOWERS



The Parklander mower range brings the best knowledge, components and machinery available to Parklands together in a value-for-money range that suits the needs of the demanding Australian consumer.

Manufactured to strict quality guidelines and conditions set down by Parklands' research and development team - these mowers will get the job done reliably, efficiently and with minimum fuss.

If you're after a mower that's got as many quality features as the big brands - then these are the machines you're after.

If you want to support a 100% Australian owned company, then these are the machines you're after.



## TWO-STROKE

**PCS2580**

\$

- > Rust-resistant heavy duty 18" steel cutting base
- > Large capacity hard plastic catcher
- > Comfort grip folding handle
- > Four blade disc system



Engine	cm <sup>3</sup>	Deck	Deck Size
Parklander two-stroke	122	Steel	18"

## FOUR-STROKE

**PCB4010 ALLOY**

\$

- > Heavy duty 18" alloy cutting base
- > Large capacity hard plastic catcher
- > Folding ergonomic handle
- > Four blade disc system



Engine	cm <sup>3</sup>	Deck	Deck Size
Tecumseh four-stroke	156	Aluminium	18"

**PCS4020**

\$

- > Rust-resistant heavy duty 18" steel cutting base
- > Large capacity lined bag catcher
- > Four blade disc system



Engine	cm <sup>3</sup>	Deck	Deck Size
Parklander four-stroke	148	Steel	18"

**PCS4040**

\$

- > Rust-resistant heavy duty 18" steel cutting base
- > Large capacity hard plastic catcher
- > Comfort grip with folding handle
- > Four blade disc system



Engine	cm <sup>3</sup>	Deck	Deck Size
Parklander four-stroke	148	Steel	18"

**PCS4050**

\$

- > Rust-resistant heavy duty 18" steel cutting base
- > Large capacity hard plastic catcher
- > Folding handle
- > Four blade disc system



Engine	cm <sup>3</sup>	Deck	Deck Size
B&S four-stroke	148	Steel	18"

**PCS6025**

\$

- > Rust-resistant heavy duty 18" steel cutting base
- > Large capacity hard plastic catcher
- > Folding handle
- > Four blade disc system



Engine	cm <sup>3</sup>	Deck	Deck Size
B&S four-stroke	190	Steel	18"

# MOWERS



## PUSH MOWERS WITH MULCH & CATCH OPTION

**PML6520**

\$

- > Heavy-duty, cast iron cylinder
- > Mulch and catch option
- > Large capacity hard plastic catcher
- > Folding handle
- > Four blade disc system



Engine	cm <sup>3</sup>	Deck	Deck Size
Tecumseh four-stroke	195	Aluminium	19"

**PML8520**

\$

- > Heavy-duty, cast iron cylinder
- > Mulch and catch option
- > Large capacity hard plastic catcher
- > Folding handle
- > Four blade disc system



Engine	cm <sup>3</sup>	Deck	Deck Size
Tecumseh two-stroke	140	Aluminium	19"

**PCA6040**

\$

- > Large capacity hard plastic catcher
- > Folding handle with comfort grip
- > Four blade disc system



Engine	cm <sup>3</sup>	Deck	Deck Size
B&S four-stroke	190	Aluminium	19"

## SELF PROPELLED PUSH

**P3S6040**

\$

- > Mulch, catch and side discharge option
- > Large capacity catcher
- > Comfort grip with folding handle
- > Self propelled
- > Four blade disc system



Engine	cm <sup>3</sup>	Deck	Deck Size
B&S four-stroke	190	Steel	21"

**PCAS6040**

\$

- > Large capacity catcher
- > Folding handle
- > Self propelled
- > Four blade disc system



Engine	cm <sup>3</sup>	Deck	Deck Size
B&S four-stroke	190	Aluminium	22"

## UTILITY

**PUS4040**

\$

- > Side discharge
- > No catcher needed
- > Single 20" blade



Engine	cm <sup>3</sup>	Deck	Deck Size
Parklander four-stroke	148	Steel	20"

All Parklander walk-behind mowers come with:

- > Double ball bearing wheels
- > Zone start
- > An exceptionally reassuring 2 year domestic warranty

# RIDE-ONS

ALL THE UNITS ON THIS PAGE COME WITH A 12 MONTH WARRANTY



## MID-MOUNT RIDE-ON MOWER

**309029X92N**

\$

- > 30" Mid mount ride-on
- > Optional catcher available

Engine	cm <sup>3</sup>	HP	Deck Size
Briggs & Stratton	344	12.5	30"



Solidly built, comfortable, easy-to-drive and reliable, the Parklander range of ride-ons has everything you could ask for from a machine and more. At a price you can afford. Additionally, every Parklander ride-on mower comes with a full array of spare parts and accessories from arguably the most comprehensive spare parts provider in Australia - Parklands Power Products.

Support the Australian company that supports Australians.

Buying a Parklander machine is a great investment because you're buying a quality product from a 100% Australian owned family company.

## ZERO-TURN MOWERS BY WORL DLAWN

**PZT-50**

\$

NEW

- > Hydro gear EZT transmission
- > Fabricated deck with three blades
- > Max speed 11.3 kmph
- > Double operated handles, zero turn radius
- > Rollover protection and sunshade included



Engine	cm <sup>3</sup>	HP	Deck Size
Briggs & Stratton	656	20	50"

**PZT-60**

\$

NEW

- > Hydro gear commercial wheel motors and pumps
- > Fabricated deck with three blades
- > Max speed of 15.3kmph
- > Double operated handles, zero turn radius
- > Rollover protection and sunshade included



Engine	cm <sup>3</sup>	HP	Deck Size
Kawasaki	745	27	60"

# SLASHERS

## COMMERCIAL SLASHERS BY WORL DLAWN

**PWC-28**

\$

NEW

- > Increase your productivity with this self-propelled machine
- > For hilly, sloping or difficult terrain
- > Heavy duty turf tyres for traction
- > Electromagnetically controlled blade system
- > 28" deck



Engine	HP	Deck Size	Propulsion
Briggs & Stratton	10.5 i/c OHV	28"	3 speed, self-propelled

**PWC-33**

\$

NEW

- > Increase your productivity with this self-propelled machine
- > For hilly, sloping or difficult terrain
- > Heavy duty turf tyres for traction
- > Electromagnetically controlled blade system
- > 33" deck



Engine	HP	Deck Size	Propulsion
Briggs & Stratton	13 electric start	33"	3 speed, self-propelled

# SAWS



## CHAINSAWS

All Parklander chainsaws come with Oregon chain and Walbro carburettor as standard - so you know you're getting quality. All saws, except the PSW-2500, come standard with a convenient carry case.

### PSW-2500

\$

- > General purpose top handle pruning saw
- > Gutsy 0.9kw engine and generous 10" bar
- > Great cutting accuracy



cm <sup>3</sup>	kW	RPM @ max kW	Kg
25.4	0.9	11500	2.8

Std bar	Chain	Fuel Tank	Oil Tank
25cm	3/8LP	510ml	250ml

### PSW-4000

\$

- > Gutsy 1.7kw engine
- > Commercial grade air filter



cm <sup>3</sup>	kW	RPM @ max kW	Kg
39.6	1.7	8500	4.2

Std bar	Chain	Fuel Tank	Oil Tank
40cm	3/8LP	410ml	240ml

### PSW-4680

\$

- > Features e-start
- > Heavy-duty air filter
- > Best possible balance for maximum operating safety



cm <sup>3</sup>	kW	RPM @ max kW	Kg
46	2	11000	5.6

Std bar	Chain	Fuel Tank	Oil Tank
40cm	3/8ST	520ml	260ml

### PSW-5800

\$

- > Comes complete with carry case
- > Features e-start
- > Heavy-duty air filter
- > Excellent power-to-weight reduces operator fatigue



cm <sup>3</sup>	kW	RPM @ max kW	Kg
54	2.5	11000	5.9

Std bar	Chain	Fuel Tank	Oil Tank
50cm	3/8	510ml	250ml

## POLE PRUNER

### PPS-450

\$

- > Telescopic straight shaft extended reach pruner
- > Trim in hard to reach areas
- > Possible 4.5m overall length



cm <sup>3</sup>	kW(HP)	Kg	Bar	Fuel Tank
25.4	0.8 (1.0)	5	10"	600ml

## CARRY CASE

- > Lightweight
- > Will protect your new saw from bumps, scratches and dents during transport
- > Comes with all saws as standard (except the PSW-2500)



# BLOWERS

## HANDHELD

**PBL-260B**

\$



- > Homeowner use
- > Makes quick and easy work of clean-up tasks
- > Warranty provides two-year coverage for homeowners

cm <sup>3</sup>	kW(HP)	Kg	Fuel Tank
26	0.75 (1)	5	500ml

## ATTACHMENTS

**PKV-260V**

\$

- > Vac attachment for the PBL-260B



## BACKPACK

**PBL-600A**

\$



- > Get more done with less fatigue
- > Makes quick and easy work of clean-up tasks
- > Warranty provides two-year coverage for homeowners

cm <sup>3</sup>	kW(HP)	Kg	Fuel Tank
56.5	1.8 (2.5)	10.5	1800ml

# TRIMMERS

## HEDGETRIMMER

**PHT-600B**

\$



- > Anti-vibration system
- > D-style front handle with debris deflection guard provides added safety
- > Full 24" of true cutting reach
- > Swivel rear handle

cm <sup>3</sup>	kW(HP)	RPM @ max Kw	Kg
26	0.75 (1.0)	8000	5.6

Blade	Blade Type/Teeth	Fuel	Handle Swivel Postion
61cm	Double blade	760ml	Variable

## HIGH WHEEL TRIMMER

**PET-51Y**

\$

- > Priming and pull starter
- > Quality steel deck
- > Handle folds away for easy storage

cm <sup>3</sup>	Fuel
160	900ml

Trimmer Line Dia
4mm



# BRUSHCUTTERS



## BENT SHAFT

**PBC-260E**

\$

- > Loop ("single" or "d") handle for manoeuvrability in tight spots and trimming at any angle
- > Lightweight, yet sufficiently powerful to handle tough jobs with ease
- > Comprehensive spare parts range available

cm <sup>3</sup>	kW(HP)
26	0.75 (1)




## STRAIGHT SHAFT

**PBC-260A**

\$

- > Domestic/homeowner straight shaft trimmer
- > All the quality and features - without the high pricetag
- > Lightweight, yet sufficiently powerful to handle tough jobs with ease

cm <sup>3</sup>	kW(HP)
26	0.75 (1)



## SPLIT SHAFT

**PBC-260SP**

\$

- > Multi tool with various attachments
- > Ease of transportation and compact storage
- > Comes standard with brushcutter and edger attachment

cm <sup>3</sup>	kW(HP)
26	0.75 (1)



Built for power, performance and reliability - these Parklander brushcutters are great performers.

If you're after a value for money machine with the full confidence of a spare parts back up that's unmatched across Australia - then these are the machines for you.


# TILLERS

## MINI TILLER

**PCU-430**

\$

- > Gutsy 1.25Kw engine and generous 235mm width blade
- > Domestic/homeowner tiller



cm <sup>3</sup>	kW	Kg	Tilling width
42.7	1.25	20.5	235mm

## CULTIVATOR

**PCU-ST756**

\$

- > Tiller 600mm/700mm working widths
- > Safety clutch stops the machine in the event of loss-of-control
- > Fold-down handle for easy storage



cm <sup>3</sup>	kW	Kg	Tilling width
190	4.1	50	700mm

# EDGERS

## DOMESTIC

**PED-31Y**

\$

- > Curb rider kit, tilt adjustment and drop wheel included
- > Zone start



cm <sup>3</sup>	Kg	Blade	Fuel
87	27	9"	1.6L

## HEAVY DUTY

**PED-51Y**

\$

- > Curb rider kit, tilt adjustment and drop wheel included
- > Zone start



cm <sup>3</sup>	Kg	Blade	Fuel
163	32	9"	3.3L

# VACUUM

## VACUUM

**PUA-260**

\$

- > Makes quick and easy work of clean-up tasks
- > Get more done, with less fatigue
- > High air-velocity and volume



cm <sup>3</sup>	kW(HP)	Fuel	Kg
25.4	0.75 (1.0)	500ml	10.7

# CHIPPERS/ SHREDDERS

## PETROL UNITS

**PSC-76**

\$

- > Green waste input hopper, suitable for palms
- > Large radius pneumatic tyres for ease of transport
- > Ear muffs, gloves, hopper & chute covers included
- > 3" max diameter chipping chute



HP	Kg	Max Chipping
6.5	110	3"

**PSC-13**

\$

- > Green waste input hopper, suitable for palms
- > Large radius pneumatic tyres for ease of transport
- > Ear muffs, gloves, hopper & chute covers included
- > 4" max diameter chipping chute
- > Includes tow hitch



HP	Kg	Max Chipping
13	120	4"

# SPRAYER

## BACKPACK

**PHS-20**

\$

- > Comfortable shoulder straps
- > Adjustable spray nozzle
- > Easy fill UV resistant plastic tank

Litre capacity

20



# SPECIFICATIONS



## Blower and Vacs

Model	Engine	cc	kW (HP)	RPM @ Max kW	Weight (Kg)	kW/kg	Fuel (ml)	Mix Ratio	Max Air Speed @ Nozzle km/h
PBL-260B	Parklander two-stroke	26.0	0.75 (1)	7500	5	0.17	500	25:1	270
PVK-260V	-	-	-	-	-	-	-	-	-
PBL-600A	Parklander two-stroke	56.5	1.8 (2.5)	-	10.5	0.25	1800	25/50:1	320

## Brushcutters

Model	Engine	cc	kW (HP)	RPM @ Max kW	Weight (Kg)	Shaft	Fuel Tank (ml)	Mix Ratio	Handle	Head	Line (mm)
PBC-260E	Parklander two-stroke	26.0	0.75(1.0)	7500	5.6	BF	650	25:1	L	LA	2.8
PBC-260A	Parklander two-stroke	26.0	0.75(1.0)	7500	6.5	SR	700	25:1	L	LA/BM	2.8
PBC-260SP	Parklander two-stroke	26.0	0.75(1.0)	7500	12	SR	700	25:1	L	BM	2.8

## Chainsaws

Model	cc	Kw	Rpm@max Kw	Weight (Kg)	Kw/Kg	Std Bar (cm)	Type	Chain	Fuel Tank (ml)	Oil Tank (ml)	Mix Ratio
PSW-2500	25.4	0.9	11500	2.8	0.32	25	Spk	3/8LP	510	250	25:1
PSW-4000	39.6	1.7	8500	4.2	0.4	40	Spk	3/8LP	410	240	25/50:1
PSW-4680	46	2	11000	5.6	0.36	40	Spk	0.325	520	260	25:1
PSW-5800	54	2.5	11000	5.9	0.42	50	Spk	3/8LP	510	250	25:1

## Chipper Shredders

Model	Engine	kW (HP)	Engagement	Cutters No	Chute (cm)	Chipper Port (cm)	Size LxWxH (cm)	Weight (Kg)	Transport	ANSI B71.6
PSC-13	P	13	C	1BR 6BSV	29x26	10	150X85X120	120	W	CE (ISO)
PSC-76	P	6.5	C	1BR 6BSV	29x26	8	140x75x120	110	W	CE (ISO)

## Hedge Trimmers

Model	Engine	cc	kW (HP)	RPM @ Max kW	Weight (Kg)	cm	Type/Teeth	Max Diameter cm	Fuel Tank (ml)	Mix Ratio	Handle Swivel Positions	Rear Handle Swivel
PHT-600B	Parklander two-stroke	26	0.75/1.0	8000	5.6	61	Dd/38	2	760	25:1	Variable	NA

## High Wheel Trimmer

Model	cc	Trimmer Line Dia	Fuel Capacity
PET-51Y	160	4mm	900ml

## Mid-mount Ride-on

Model	Engine	cc	kW (HP)	Deck	Size	Blade	Start	Standard
309029X92N	Briggs & Stratton	344	12.5HP	SP	30"	RB	E	CE

## Zero Turn Mowers

Model	Engine	cc	HP	Deck	Size	Blade	Weight (Kg)	Speed (km/h)	Start	Standard
PZT-50	Briggs & Stratton	656	20	Fabricated	50"	RB	265	up to 11.3	E	CE
PZT-60	Kawasaki	745	27	Fabricated	60"	RB	500	up 15.3	E	CE



# SPECIFICATIONS

## Commercial Slashers

Model	Engine	HP	Deck	Blade	Start	Kg	Speed (km/h)
PWC-28	Briggs & Stratton	10.5 i/c OHV	28"	twin	R	100	3 - 5.7km
PWC-33	Briggs & Stratton	13.5 i/c OHV	33"	three	E	138	3 - 5.7km/h

## Push Mowers

Model	Engine	cc	Deck	Size cm (inches)	Start	# of Height Adjustment Positions	Standard	Blades
PCB-4010 "EMU"	Tecumseh four-stroke	156	Alloy	45 (18)	R	11	A	4
PCS-2580 "DINGO"	Parklander two-stroke	122	Steel	45 (18)	R	10	A	4
PCS-4020	Parklander four-stroke	148	Steel	45 (18)	R	10	A	4
PCS-4040	Parklander four-stroke	148	Steel	45 (18)	R	10	A	4
PCS-4050	B&S four-stroke, 625 series	148	Steel	45 (18)	R	10	A	4
PCS-6025"MONITOR"	B&S four-stroke, 625 series	190	Steel	45 (18)	R	10	A	4
PML-2580 "SUPER ROO"	Parklander two-stroke	122	Alloy mulch	48 (19)	R	11	A	4
PML-6520 "PLATYPUS"	Tecumseh four-stroke, OHV65	195	Alloy mulch	48 (19)	R	11	A	4
PML-8520 "NUMBAT"	Tecumseh two-stroke	140	Alloy mulch	48 (19)	R	11	A	4
PCAS-6040 self-propelled	B&S four-stroke, 625 series	190	Steel	53 (21)	R	8	A	4
P3S-6040 self-propelled	B&S four-stroke, 625 series	190	Alloy	48(19)	R	12	A	4
PCAS-6040	B&S four-stroke, 625 series	190	Alloy	56 (22)	R	12	A	4
PUS-4040	Parklander four-stroke	148	Steel	51 (20)	R	8	A	Single 20"

## Tillers

Model	Engine	cc	kW (HP)	Weight (Kg)	Tilling Width
XG-430	Parklander two-stroke	42.7	1.25	20.5	235mm
FY-ST75	Parklander four-stroke	190	4.1(5.5)	50	700mm

## Edger

Model	cc	Weight (Kg)	Blade Size	Fuel Capacity
PED-31Y	87	27	9"	1.6L
PED-51Y	163	32	9"	3.3L

## Sprayers

Model	Capacity Litres
PHS-20	20

## Vacuums

Model	Engine	cc	kW (HP)	Fuel Capacity	Weight (Kg)
PUA-260	Parklander two-stroke	25.4	0.75/1.0	500ml	10.7

## Pole Saw

Model	Engine	cc	kW (HP)	Weight (Kg)	Bar	Fuel Capacity	Mix
PPS-450	Parklander two-stroke	25.4	0.8/1.0	8	10"	600ml	25:1



Parklander products can be found for a variety of applications around the home and also on the farm/property. These products include: blowers/misters/sprayers, brushcutters, chainsaws, chipper/shredders, cultivators, hedge trimmers, lawn mowers, zero-turn lawnmowers, pole saws and vacuums. Not to mention our brand new range of utility terrain vehicles (UTVs) and quad bikes.

If you're keen on great value, good quality products, designed in Australia for Australians – then Parklander is the brand for you. And with a spare parts offering unmatched in Australia - you'll never have to worry about finding a spare part again.

Data and illustrations published in the catalogue are not binding where specifications of materials are concerned, given that these will always be subject to technical improvement. Technical specifications given in the catalogue are subject to change without notice, as also are directions relating to general use of the equipment.

Your local dealer:



**PARKLANDS POWER PRODUCTS (AUST.) PTY LTD**

106 Belmore Road Nth (P.O. Box 213) Riverwood NSW 2210  
Email: [info@parklands.net](mailto:info@parklands.net)

[www.parklands.net](http://www.parklands.net)

Consumer freecall 1800 671 417  
Phone +61 (2) 9584 7700  
Consumer Freefax 1800 802 789  
Fax +61 (2) 9153 9122